


SoftStep™ - Products

The entire environmentally friendly **SoftStep™** line is manufactured from recycled rubber tires and is ideal for all barn entrances, aisle-ways, wash & tack stalls, path-ways and horse exercisers. These tiles offer a cost effective alternative to concrete or asphalt. They are perfect for both new barn and retrofit construction. Offering a non-slip surface even when wet, they will provide and your horse with a comfortable, sure footed surface. With a substantial insulation factor, the SoftStep™ tiles help prevent the transfer of cold and dampness.

All of our patented **SoftStep™** tiles are made with a smooth finish surface characterized by a low profile pattern to allow for ease of sweeping. All tiles are durable under, equestrian, farm equipment, and pedestrian traffic. All tiles are resilient to cleaning and disinfecting products and are manufactured with U.V. stabilization. Installation is not difficult as the tiles are easy to handle, assemble quickly with the larger surface area and can be cut with most simple tools such as a jig saw or skill saw.



Keystone

Our Keystone tile offers a patented full interlocking design with the elegance of the Keystone pattern. This tile is recommended for all equestrian applications and installations. In areas where there are no edge or wall restraints, snap-edging or restraint bordering of some type may be recommended. (not necessarily required in all situations.)

Size: 37"x37" or 9.5 sq.ft. per tile

Thickness: 1-1/8" only

Weight: 66lbs per tile

Application: any hardened, compacted surface, ideal for both in-ground and re-surfacing.

Shipping: 25 tiles per 4x4 skid, skid weight of 1,650 lbs

Price: \$7.50 per sq.ft.

The standard colours



I-Mat

Characterized by the "Dog-Bone" pattern, this I-mat offers a full 4 way interlock design capability in a large 12 sq.ft. tile. Like our original I-Mat, this tile is recommended for all pedestrian, and agricultural applications and is ideal for installations on a compacted gravel base. In areas where there are no edge or wall restraints, snap-edging or restraint bordering of some type may be recommended. (not necessarily required in all situations.) Please note that pre fabricated edging is available.

Size: 32"x54" or 12 sq.ft. per tile

Thickness" 1 – 1/4"

Weight: 85lbs per tile

Application: Ideal for all installations, over any leveled and compacted surface.

Delivery: 4-6 weeks FOB Rockwood, On or Legal, AB

Shipping: 25 tiles per 4x5 skid

Sugg. Retail: \$7.50



Multi-Brick

The Multi-Brick tile is a square yard tile that once installed gives the look of traditional interlocking brick in an alternating pattern. Though the Multi-brick tile once installed appears to interlock, the edges are square and butt up to each other to portray that impression. With this style of tile it is highly recommended that some type of solid curb be present to hold the tiles together and in place. Once installed these tiles hold all the beneficial characteristics of the other tile styles.

Size: 36"x36" 9sq.ft. per tile

Thickness" 1"

Weight: 44lbs

Delivery: 4-6 weeks FOB Rockwood, On or Legal, AB

Shipping: 1" - 40 tiles per skid

Sugg. Price: \$7.50/sq.ft.

The standard colours





Churchill

Identical to its brick brother, these traditional pavers are of course made from recycled rubber. With this style of tile it is highly recommended that some type of solid curb be present to hold the tiles together and in place. Once installed these tiles hold all the beneficial characteristics of the other tile styles.

Size: 4x8 – 6x6

Thickness" 2

Packaged: by skid

Delivery: 4-6 weeks FOB Rockwood, On or Legal, AB

Shipping: by 4x4 skid

Price: \$11.00/sq.ft.

The standard colours

-  Black
-  Redwood
-  Terracotta
-  Grey
-  Green
-  Brown





Flexi Grid

Introducing **Flex-Grid™** the perfect solution to keep those paddock entrances level and dry...and keep horses from constantly digging holes in their stalls.

Flexi-Grid™ panels are 3' x 3' by 2" deep grid squares that are manufactured from recycled tires. This gives each panel the flexibility to conform to the landscape that it is applied to, yet provides the durability to withstand both heavy equine, vehicle and equipment traffic. No matter the weather conditions **Flexi-Grid™** will support the ground in these heavy traffic areas while providing a constant level surface and optimum drainage.

No more mud in the hooves which can create hoof issues, pulled shoes and in some cases leg and tendon damage. No more getting the tractor, truck or atv stuck in the mud when bringing out water or hay.

Once installed, the unique individual grid squares retain the soil or aggregate you apply. Even if the ground is not perfectly level, **Flexi-Grid™** will follow the contours of the surface and hold the fill in place. This can protect the grass roots as the traffic does not make contact with the root structure. If you are using an aggregate base, **Flexi-Grid™** will keep the area intact and prevent ruts and holes from constant traffic and digging. The soft yet firm and durable surface offers a more comfortable surface for horses to walk on, yet durable enough for your truck or tractor.

Get **Flexi-Grid™** ...the easy leveling alternative for your problem areas. Another great and environmentally friendly product from the makers of **SoftStall™**

Thickness: 2"

Size: 3' x 3'

Weight: 45 lbs

Colour: Black

Application: Base Stabilization

Shipping: 30 tiles / 3' x 3' pallet

1300 lbs / skid

Retail: \$4.95 per square foot

